

ΡΥΘΜΙΣΤΕΣ ΠΙΕΣΗΣ & ΑΣΦΑΛΙΣΤΙΚΑ MADAS

(Gas Pressure Regulators & Safety Valves MADAS)

• Ρυθμιστής/Σταθεροποιητής πίεσης RG/2MC (Gas Regulator RG/2MC)



DN	ΚΩΔΙΚΟΣ	ΤΙΜΗ €
1/2"	16-20-03	41
3/4"	16-20-04	42
1"	16-20-05	43
1 1/4"	16-20-06	96
1 1/2"	16-20-07	97
2"	16-20-08	171
65	16-20-09	599
80	16-20-10	673
100	16-20-11	1.180



Body : Aluminum - EN 1706
MOP : 1bar
Certificates : PED 97/23/EC, ATEX 94/9/EC
: Gas Directive 90/396EEC

✓ Δυνατότητες ρύθμισης πίεσης εξόδου (Outlet Pressure)

DN	ΕΥΡΟΣ ΡΥΘΜΙΣΗΣ mbar					
1/2" - 1"	9-28 (MO-0402)	18-40 (MO-0500)	40-110 (MO-0825)	110-150 (MO-0900)	150-200 (MO-0970)	-
1 1/4" - 2"	8-13 (MO-0500)	13-23 (MO-0800)	20-36 (MO-0850)	33-58 (MO-0970)	55-100 (MO-1000)	90-190 (MO-1370)
2 1/2" - 3"	7-18 (MO-1070)	13-27 (MO-1100)	22-58 (MO-1200)	50-130 (MO-1400)	100-200 (MO-1400&1800)	-
4"	7-16 (MO-1070)	15-27 (MO-1100)	27-55 (MO-1200)	55-130 (MO-1400)	130-200 (MO-1400&1800)	-

• Ρυθμιστής/Σταθεροποιητής πίεσης με shut off max, RG/2MB MAX (Gas Regulator with Incorporated Shut-off Valve, RG/2MB MAX)

DN	ΚΩΔΙΚΟΣ	ΤΙΜΗ €
3/4"	16-21-04	155
1"	16-21-05	157
1 1/4"	16-21-06	232
1 1/2"	16-21-07	235
2"	16-21-08	288



Body : Aluminum - EN 1706
MOP : 1bar
Certificates : PED 97/23/EC, ATEX 94/9/EC
: Gas Directive 90/396EEC

✓ Δυνατότητες ρύθμισης πίεσης εξόδου (Outlet Pressure)

DN	ΕΥΡΟΣ ΡΥΘΜΙΣΗΣ mbar				
3/4" - 1"	9-25 (MO-0400)	15-45 (MO-0500)	30-120 (MO-0825)	100-150 (MO-0900)	140-320 (MO-1305)
1 1/4" - 1 1/2"	5-23 (MO-0825)	12-35 (MO-0900)	32-100 (MO-1000)	85-200 (MO-1300)	-
2"	11-25 (MO-0825)	20-45 (MO-0900)	45-100 (MO-1000)	100-180 (MO-1300)	130-200 (MO-2550)

Με **BOLD** είναι οι εργοστασιακές ρυθμίσεις

• **Βαλβίδα ασφαλείας διακοπής, MVB/1 (SAV)**
(Shut-off Max Valve)

DN	PN1		PN6	
	ΚΩΔΙΚΟΣ	ΤΙΜΗ €	ΚΩΔΙΚΟΣ	ΤΙΜΗ €
¾"	18-02-05	129	18-02-25	157
1"	18-02-06	132	18-02-26	159
1"¼	18-02-07	148	18-02-27	176
1"½	18-02-08	150	18-02-28	178
2"	18-02-09	216	18-02-29	248
65	18-02-10	368	18-02-30	442
80	18-02-11	442	18-02-31	536
100	18-02-12	755	18-02-32	898
125	18-02-13	1.460	18-02-33	1.665
150	18-02-14	1.490	18-02-34	1.690

Εύρος ρύθμισης ελατηρίου: **30 – 450 mbar** (MO – 2150)



Body : Aluminum - EN 1706

MOP : 1/6bar

Certificates : PED 97/23/EC, ATEX 94/9/EC
: Gas Directive 90/396EEC

• **Ρυθμιστής πίεσης με shut off min/max, φίλτρο & relief FRG/2MB**
(Gas Regulator with Incorporated Shut-off Valve, Filter & Relief Valve FRG/2MB)

DN	Qmax=25 Sm ³ /hr		Qmax=100 Sm ³ /hr	
	ΚΩΔΙΚΟΣ	ΤΙΜΗ €	ΚΩΔΙΚΟΣ	ΤΙΜΗ €
½"	16-21-23	76	16-21-33	105
¾"	16-21-24	76	16-21-34	105
1"	16-21-25	76	16-21-35	105



Body : Aluminum - EN 1706

MOP : 5bar

Filtration : 50µm

Certificates : PED 97/23/EC, ATEX 94/9/EC
: Gas Directive 90/396EEC

√ **Δυνατότητες ρύθμισης πίεσης εξόδου**
(Outlet Pressure)

MODEL	ΕΥΡΟΣ ΡΥΘΜΙΣΗΣ mbar			
Q=25m ³ /hr	10-25 (MO-0403)	25-35 (MO-0402)	35-120 (MO-0450)	110-200 (MO-0520)
Q=100m ³ /hr	20-30 (MO-0403)	30-90 (MO-0450)	90-170 (MO-0520)	-

Με **BOLD** είναι οι εργοστασιακές ρυθμίσεις

• Βαλβίδα ασφαλείας εκτόνωσης, MVS/1 (SBV)
(Safety Relief Valve)

DN	ΚΩΔΙΚΟΣ	ΤΙΜΗ €
1/2"	18-01-02	71
3/4"	18-01-06	77
1"	18-01-07	78
1" 1/4	18-01-08	175
1" 1/2	18-01-09	179
2"	18-01-10	255



MADAS

Body : Aluminum - EN 1706

MOP : 1bar

Certificates : PED 97/23/EC, ATEX 94/9/EC

: Gas Directive 90/396EEC

✓ Δυνατότητες ρύθμισης πίεσης εξόδου
(Outlet Pressure)

DN	ΕΥΡΟΣ ΡΥΘΜΙΣΗΣ mbar				
1/2"	18-40 (MO-200)	38-90 (MO-210)	80-260 (MO-2150)	-	-
3/4"-1"	16-37 (MO-500)	30-110 (MO-825)	100-160 (MO-0900)	140-215 (MO-0970)	215-500 (MO-1305)
1" 1/4-1" 1/2	30-110 (MO-0825)	100-170 (MO-900)	-	-	-
2"	35-135 (MO-1305)	130-200 (MO-1300)	-	-	-

Με **BOLD** είναι οι εργοστασιακές ρυθμίσεις

• Τιμές ελατηρίων
(Spring Prices)

ΚΩΔΙΚΟΣ	ΤΙΜΗ €	ΚΩΔΙΚΟΣ	ΤΙΜΗ €
MO-0104	5	MO-1000	10
MO-0153	5	MO-1005	10
MO-0200	5	MO-1070	24
MO-0204	5	MO-1100	24
MO-0400	7	MO-1200	24
MO-0402	7	MO-1300	24
MO-0500	10	MO-1305	24
MO-0800	10	MO-1370	24
MO-0825	10	MO-1400	56
MO-0850	10	MO-1800	56
MO-0900	10	MO-2150	8
MO-0970	10	MO-2550	24

